

# CANNA SUBSTRA HC

# GROW SCHEDULE



MORE INFO

	VEGETATIVE PHASE				GENERATIVE PHASE						
	ROOTING	I	II		I			II	III	IV	
DAYS AND WEEKS	D1-5	D6-25	W1	W2	W3	W4	W5	W6	W7	W8	W9
LIGHT HOURS	18	18	12	12	12	12	12	12	12	12	12
Dosages in ml per 10 L											
CANNA SUBSTRA HC VEGA A	12 - 16	14 - 17	14 - 17	14 - 17							
CANNA SUBSTRA HC VEGA B	12 - 16	14 - 17	14 - 17	14 - 17							
CANNA SUBSTRA HC FLORES A					15 - 18	15 - 18	15 - 18	15 - 18	13 - 16	11 - 15	
CANNA SUBSTRA HC FLORES B					15 - 18	15 - 18	15 - 18	15 - 18	13 - 16	11 - 15	
CANNA RHIZOTONIC XP	40	20	20	20	5	5	5	5	5		
CANNAZYM		25	25	25	25	25	25	25	25	25 - 50 *	25 - 50
CANNABOOST			20 **	20	20 - 40	20 - 40	20 - 40	20 - 40	20 - 40	20 - 40	20 - 40
CANNA PK 13/14								15			
mS/cm											
EC WATER	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
EC NUTRITION	1.4 - 1.8	1.6 - 2.0	1.6 - 2.0	1.6 - 2.0	1.6 - 2.0	1.6 - 2.0	1.6 - 2.0	2.0 - 2.5	1.4 - 1.8	1.2 - 1.6	
EC TOTAL	1.8 - 2.2	2.0 - 2.4	2.0 - 2.4	2.0 - 2.4	2.0 - 2.4	2.0 - 2.4	2.0 - 2.4	2.4 - 2.9	1.8 - 2.2	1.6 - 2.0	0.4

This cultivation schedule is intended for plants that develop flowers or fruits, starting from a one-week-old cutting or seedling. The duration of each phase may vary depending on the species.

- \* Double CANNAZYM dosage to 50 ml/10 L, if substrate is reused.
- \*\* Increase CANNABOOST to a maximum of 40 ml/10 L through flowering for extra strength.

For a longer growth phase, repeat the recommended dosages from vegetative Phase I (D6-25). For a longer flowering phase, repeat the recommended dosages from generative Phase I (W3-W5). Add CANNA PK 13/14 in the period 3-4 weeks before harvest.

